


7W COB LED Spot bulb SPECIFICATION

■Features:


- ◎High Brightness $\geq 90\text{lm/W}$,50-65w Halogen replacement,80% energy saving
- ◎Power factor >0.8 , CRI $>92\text{Ra}$.
- ◎COB Led,low light decaying rate.
- ◎No noise,no flicker,no UV and IR.
- ◎Optimum light uniformity and high color homogeneity SDCM <3 .
- ◎Scientific structure design with thermal radiation paint coating,good heat dissipation makes longer life-span.
- ◎Len:High temperature resistance & light transmittance polycarbonate.not deformation,not change color.
- ◎Simple and fashionable looking
- ◎Mercury & lead free and ROHS compliant.
- ◎Comply with CE,EMC standards.

Product image size chart:

E27 7W



GU10 7W:



l'ombre®
EXCLUSIEVE VERLICHTING







binnen- & buiten | duurzaam | landelijk & tijdloos

moortelmeers 3 - pittem | tel. 051 69 83 62 | info@lombre.be | www.lombre.be | [f](https://www.facebook.com/lombreverlichting) lombreverlichting | [@](https://www.instagram.com/lombre.be) lombre.be

Specifications:

Model	WW-GU10HD-7WW	WW-E27HD-7WW
Input Voltage	AC220-240V/ Dimmable	AC220-240V /Dimmable
Input Power	7W	7W
Light Source	High brightness COB LED	
CCT	2700K	
Lumimous Flux	650LM	650LM
Color Rendering Index	CRI>92	
Dimensions	φ50×62mm	φ50×70mm
Main Material	Aluminum+PC	
Shell Color	Black	
Beam Angle	60°	60°
IP Rating	IP20	
Working Temperature	-20℃---- 55℃	
Ambient Humidity	10%-85%	

■Potometric Data:



l'ombre[®]
EXCLUSIEVE VERLICHTING







binnen- & buiten | duurzaam | landelijk & tijdloos

moortelmeers 3 - pittem | tel. 051 69 83 62 | info@lombre.be | www.lombre.be | f lombreverlichting | @lombre.be

Specifications:

Model	WW-GU10HD-7WW	WW-E27HD-7WW
Input Voltage	AC220-240V/ Dimmable	AC220-240V /Dimmable
Input Power	7W	7W
Light Source	High brightness COB LED	
CCT	2700K	
Lumimous Flux	650LM	650LM
Color Rendering Index	CRI>92	
Dimensions	φ50×62mm	φ50×70mm
Main Material	Aluminum+PC	
Shell Color	Black	
Beam Angle	60°	60°
IP Rating	IP20	
Working Temperature	-20℃---- 55℃	
Ambient Humidity	10%-85%	

■Potometric Data:



l'ombre[®]
EXCLUSIEVE VERLICHTING

binnen- & buiten | duurzaam | landelijk & tijdloos

moortelmeers 3 - pittem | tel. 051 69 83 62 | info@lombre.be | www.lombre.be | f lombreverlichting | @lombre.be